



CHN ALÜMİNYUM İTHALAT İHRACAT SAN.VE TİC. A.Ş.

STANDARD PROFILES

CHN Aluminum Import and Export Inc. was established in Bursa in the first place to meet the aluminum profile and plate demands of the group companies and business partners of Cihan Group.

With its experience in the aluminum sector, which it has acquired in the national platform over time, it has decided to expand abroad, taking into account the increasing demand for aluminum in the global market.

Acting with Cihan Group's 23 years of work experience and customer satisfaction principle, CHN Aluminum has taken its place in the global market with its best, most advantageous and innovative solutions to its business partners and customers.

Today, CHN ALUMINIUM conducts 75% of its activities in the foreign market and 25% in the domestic market. CHN ALUMINIUM, 30% of its exports are flat aluminum, is advancing to the future with solid steps.

--

CHN Aluminium Import-Export wurde in Bursa in erster Linie gegründet, um die Aluminiumprofil und Plattenanforderungen der Konzerngesellschaften und Geschäftspartner der Cihan Gruppe zu erfüllen.

Mit seinen Erfahrungen in der Aluminiumindustrie, die er im Laufe der Zeit auf der Nationalen Plattform erworben hat, beschloss er, sich im Ausland zu öffnen, angesichts der wachsenden Nachfrage nach Aluminium auf dem Weltmarkt jeden Tag.

Nach 23 Jahren Erfahrung und Kundenzufriedenheit von Cihan Gruppe, hat CHN Aluminium seinen Platz auf dem Weltmarkt mit den besten, vorteilhaftesten und innovativsten Lösungen für seine Geschäftspartner und Kunden eingenommen.

Heute betreibt CHN Aluminium 75% seiner Aktivitäten auf dem ausländischen Markt und 25% auf dem heimischen Markt. CHN Aluminium, hat 30% seiner Exporte aus flachaluminium.



Certified



ISO 9001:2015

Wall Thickness



Down to 0,50 mm

Profile Weight



Starting from 40 gr /m

Alloy




EN AW 6060
EN AW-6063
EN AW6463

CHNALÜMİNYUM İTHALAT İHRACAT SAN. VE TİC. A.Ş.

Alaaddinbey Mh. 244. İsimsiz Sk.
No:6/1/1 Nilüfer/BURSA/TÜRKİYE

chn@chnexport.com

L(WINKEL) KÖŞEBENT



Mould No.	a	b	s	kg/m
158	10	10	1,05	0,054
1030	15	15	2	0,151
897	20	15	2,5	
1021	20	20	1	0,106
3646	20	20	1,2	0,126
642	20	20	1,3	0,136
834	20	20	2	0,206
906	25	20	1,5	
1025	25	25	1,2	0,159
240	25	25	1,5	0,198
1877	30	15	1	0,119
1876	30	20	1	0,133
1689	30	20	1,2	0,159
1620	30	20	1,7	0,222
835	30	20	2	0,261
1878	30	30	1	0,16
1005	30	30	1,2	0,192
3647	30	30	1,5	0,238
516	30	30	2	0,314
870	30	30	3	0,463
641	35	21,5	2	0,295
3187	40	10	1,3	0,171
1007	40	20	1,2	0,192
1403	40	20	2	0,315
1834	40	30	1	0,186
1495	40	30	2	0,368
577	40	34	3	0,576
1006	40	40	1,2	0,257
241	40	40	1,5	0,32
3648	40	40	1,5	0,32
3526	40	40	2	0,423
871	40	40	3	0,626
1591	40	40	4	0,823
537	45	24,8	2,2	0,402
533	50	20	2	0,368
1474	50	30	1,3	0,276
242	50	50	1,5	0,401
1029	50	50	2	0,532
980	50	50	4	
3527	50	50	5	1,287
3528	50	50	6	1,528

1008	60	20	1,2	0,257
3555	60	30	5	1,152
1848	60	40	1,5	0,4
1739	60	60	5	1,558
702	65	50	6/5	1,653
917	70	50	2	0,64
1215	80	20	1,3	0,374
1496	80	80	2	0,856
1590	90	40	3	1,032
1216	100	20	1,3	0,45
2266	100	50	5	1,965
1965	103	12,7	2	0,615