



CHN ALÜMİNYUM İTHALAT İHRACAT SAN.VE TİC. A.Ş.

STANDARD PROFILES

CHN Aluminum Import and Export Inc. was established in Bursa in the first place to meet the aluminum profile and plate demands of the group companies and business partners of Cihan Group.

With its experience in the aluminum sector, which it has acquired in the national platform over time, it has decided to expand abroad, taking into account the increasing demand for aluminum in the global market.

Acting with Cihan Group's 23 years of work experience and customer satisfaction principle, CHN Aluminum has taken its place in the global market with its best, most advantageous and innovative solutions to its business partners and customers.

Today, CHN ALUMINIUM conducts 75% of its activities in the foreign market and 25% in the domestic market. CHN ALUMINIUM, 30% of its exports are flat aluminum, is advancing to the future with solid steps.

--

CHN Aluminium Import-Export wurde in Bursa in erster Linie gegründet, um die Aluminiumprofil und Plattenanforderungen der Konzerngesellschaften und Geschäftspartner der Cihan Gruppe zu erfüllen.

Mit seinen Erfahrungen in der Aluminiumindustrie, die er im Laufe der Zeit auf der Nationalen Plattform erworben hat, beschloss er, sich im Ausland zu öffnen, angesichts der wachsenden Nachfrage nach Aluminium auf dem Weltmarkt jeden Tag.

Nach 23 Jahren Erfahrung und Kundenzufriedenheit von Cihan Gruppe, hat CHN Aluminium seinen Platz auf dem Weltmarkt mit den besten, vorteilhaftesten und innovativsten Lösungen für seine Geschäftspartner und Kunden eingenommen.

Heute betreibt CHN Aluminium 75% seiner Aktivitäten auf dem ausländischen Markt und 25% auf dem heimischen Markt. CHN Aluminium, hat 30% seiner Exporte aus flachaluminium.



Certified



ISO 9001:2015

Wall Thickness



Down to 0,50 mm

Profile Weight



Starting from 40 gr /m

Alloy



ENAW 6060

ENAW-6063

ENAW6463


CHNALÜMİNYUM İTHALAT İHRACAT SAN. VE TİC. A.Ş.

Alaaddinbey Mh. 244. İsimsiz Sk.
No:6/1/1 Nilüfer/BURSA/TÜRKİYE

chn@chnexport.com

CIRCULAR PIPES

YUVARLAK BORULAR



Mould No.	d	s	kg/m
1234	8	0,9	0,054
944	8	1	
3553	8	2	0,100
501	10	1	0,077
1284	12	1	0,093
918	12	1	0,095
268	12	1,75	0,152
472	14	1	0,111
275	14	2	0,203
458	14,5	1,25	0,140
942	16	1	0,127
235	16	1,3	0,162
2209	16	1,5	0,184
432	18	5,7	0,597
521	18,8	0,9	0,137
940	19	1,2	0,181
2539	20	1,5	0,236
556	22	1	0,179
989	22	1,2	
1092	22	2	0,341
1503	24	7	1,013
941	25	1	
939	25	1,2	0,244
627	25	1,5	0,300
2540	25	1,5	0,301
1971	25	2	0,392
352	25	2,3	0,452
1354	25	3	0,560
1672	25	3,5	0,641
2031	26	8	1,226
1233	28	0,9	0,207
1283	29,6	2,2	0,514
811	30	1,5	0,363
874	30	2	0,477
1351	32	1	0,265
938	32	1,2	
1424	32	1,5	0,390
3412	32	2	0,509
195	32	3	0,740
1475	32	3	0,740
1512	33	3	0,766

1425	35	1,5	0,428
3065	35	1,8	0,509
548	35	2	0,562
2579	35	2	0,562
1353	35	3	0,817
1777	35	8	1,840
1171	40	1,5	0,490
1476	40	2,5	0,800
1934	42	1,9	0,648
169	45	2,5	0,957
876	48	2	0,783
	48	4	
1471	48,3	4	1,509
3189	50	1,3	0,539
249	50	1,4	0,579
126	50	1,5	0,619
1169	50	1,5	0,618
1352	50	3	1,200
1452	50	5	1,915
2813	58,5	1,5	0,729
1013	60	1	0,500
1557	60	1,5	0,748
877	60	2	0,986
1020	80	1	0,672
2491	85	1,3	0,957
1001	100	1	0,840
1237	101	1,5	1,270
1559	110	1	0,927
2492	111,6	3	1,222
1023	125	1	1,264